

SECTION 1: PRODUCT IDENTIFICATION

Product Name: USB, Part A
Synonyms:
Product Number: 40-USB-1GA
Company: Durável
Address: P.O. Box 1141, Davidson NC 28036
Business Phone: (803) 833-7225
Emergency Phone: Chemtrec US (800) 424-9300 CNN 874540
Date of Current Revision: August 10, 2020

SECTION 2: HAZARD IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity – Oral	Category 5
Acute toxicity – Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 2
Hazardous to the Aquatic Environment – Long Term (Chronic)	Category 2

EMERGENCY OVERVIEW: This product is a colorless to yellowish liquid.

DANGER!

Hazard Statements

- Highly Flammable
- Suspected of Causing Cancer
- Toxic to Aquatic Life with Long Lasting Effects
- Causes Serious Eye Irritation
- May Cause Respiratory Irritation
- May Cause Drowsiness or Dizziness
- May be Harmful if Swallowed
- May be Harmful if Swallowed and Enters Airways
- Causes Skin Irritation

			
Appearance: Colorless to yellowish	Physical State: Liquid	Odor: Solvent	

Precautionary Statements – Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating/ lighting/ equipment
- Use only non-sparking tools
- Take action to prevent static discharges
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements – Response

- IF exposed or concerned: Get medical advice/attention
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF skin irritation occurs: Get medical advice or attention.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing.
- IF eye irritation persists: Get medical advice/attention
- IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor
- Do NOT induce vomiting.
- Take off contaminated clothing and wash before reuse
- In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish.
- Collect spillage

Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

Precautionary Statements – Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards Not Otherwise Classified (HNOC)

Repeated exposure may cause skin dryness or cracking

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight - %	Trade Secret
Polyester Polyol	26745-09-5	15 – 40	*
Propylene glycol monomethyl ether acetate	108-65-6	15 – 40	*
n-Butyl acetate	123-86-4	5 – 15	*
tert-Butyl acetate	540-88-5	5 – 15	*
Petroleum naphtha, light aromatic	64742-95-6	5 - 10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST-AID MEASURES

Description of First Aid Measures

- General Advice** Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
- Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Skin Contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
- Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
- Ingestion** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Eye, Skin, and Respiratory Irritation. May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to Physicians Treat symptomatically. For additional information, see Safety Data Sheet.

SECTION 5: FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products

Carbon dioxide (CO₂). Carbon monoxide.

Explosion Data**Sensitivity to Mechanical Impact**

Not available

Sensitivity to Static Discharge

May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.

Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice for safe handling Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent the buildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Incompatible Materials Keep away from strong oxidizing agents, strong alkalis, and strong acids.

SECTION 8: EXPOSURE CONTROLS – PERSONAL PROTECTION

Control parameters

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aromatic 100 64742-95-6	TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m3	--
n-Butyl acetate 123-86-4	STEL: 200 ppm TWA: 150 ppm	TWA: 150 ppm TWA: 710 mg/m3	IDLH: 1700 ppm TWA: 150 ppm TWA: 710 mg/m3 STEL: 200 ppm STEL: 950 mg/m3
tert-Butyl acetate 540-88-5	TWA: 200 ppm	TWA: 200 ppm TWA: 950 mg/m3	IDLH: 1500 ppm TWA: 200 ppm TWA: 950 mg/m3
2-methoxy-1-methylethyl acetate	TWA: 50 ppm		

108-65-6			
----------	--	--	--

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

- Eye and face protection** Wear safety glasses with side shields (or goggles).

- Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.

- Respiratory protection** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

- General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Solvent
Appearance	Colorless to yellowish	Odor Threshold	No data available
Color	Colorless to yellowish		

<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>
pH	Not Relevant	
Melting point/freezing point	Not Available	
Boiling point/Boiling range	No data available	
Flash point	4° C (39° F)	CC (closed cup)
Evaporation rate	Not Available	
Flammability (solid, gas)	Not Relevant	

Flammability Limit in Air	
Upper flammability limit:	Not Available
Lower flammability limit:	Not Available
Vapor pressure	Not Available
Vapor density	Not Available
Relative density	1.03 @ 70° F
Water solubility	Insoluble in water
Solubility in other solvents	Not Available
Partition coefficient	Not Available
Autoignition temperature	Not Available
Decomposition temperature	Not Available
Kinematic viscosity	Not Available
Dynamic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available

Other Information

Softening point	Not Relevant
Molecular weight	Not Available
VOC Content (%)	<400 g/L (Mixed A&B)
Density	Not Available
Bulk Density	Not Available

SECTION 10: STABILITY AND REACTIVITY**Reactivity**

Not Available

Chemical stability

Stable

Possibility of Hazardous Reactions

Hazardous polymerization does not occur

Conditions to avoid

Heat, flames and sparks

Incompatible materials

Keep away from strong oxidizing agents, strong alkalis, and strong acids.

Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions, carbon oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation
Eye contact	Direct contact
Skin contact	Direct contact
Ingestion	Direct contact

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol monomethyl ether acetate 108-65-6	= 8532 mg/kg (Rat)	--	= 47635 mg/L (Rat) 4h
n-Butyl acetate 123-86-4	Oral LD-50: (Rat): 14,130 mg/kg		
tert-Butyl acetate 540-88-5	--		
Petroleum naphtha, light aromatic 64742-95-6	--		
2- methoxy-1- methylethyl acetate 108-65-6	6,190 mg/kg (Rat)		
2-methoxypropanol 1589-47-5	5,710 mg/kg (Rat)		

Information on toxicological effects

Symptoms May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe burns. Irritating to skin.
Serious eye damage/eye irritation Irritating to eyes. Risk of serious damage to eyes.
Irritation Irritating to eyes, respiratory system and skin
Sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity No data available

SAFETY DATA SHEET

DURÁVEL

USB Part A

Chemical Name	ACGIH	IARC	NTP	OSHA
Xylene 1330-20-7	--	Group 3	--	--

Reproductive toxicity Not Available
STOT – single exposure Not Available
STOT – repeated exposure Not Available
Aspiration hazard Not Available

Numerical measures of toxicity – Product Information

No available data.

SECTION 12: ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Xylene 1330-20-7	--	13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50

Persistence and degradability

No data available

Bioaccumulation

No data available

Chemical Name	Partition coefficient
Xylene 1330-20-7	2.77-3.15

Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Chemical Name	RCRA	RCRS – Basis for Listing	RCRA – D Series Wastes	RCRA – U Series Wastes
Sylene 1330-20-7	--	Included in waste stream: F039	--	U239

Chemical Name	California Hazardous Waste Status
Xylene 1330-20-7	Toxic Ignitable

SECTION 14: TRANSPORTATION INFORMATION

DOT

UN/ID no. 1307
Proper Shipping Name Xylenes
Hazard Class 3
Packing Group III

Marine pollutant Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

IATA

UN/ID no. 1307
Proper Shipping Name Xylenes
Hazard Class 3

Packing Group III

IMDG

UN/ID no. 1307
Proper Shipping Name Xylenes
Hazard Class 3
Packing Group III

SECTION 15: REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive hazard	No

third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Durável assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety precautions are followed.

END OF SAFETY DATA SHEET